

**Reach out for
the ideal™**

**2025-26
COLLECTION**

**LX Hausys ISO
9001
QUALITY SYSTEM**

3s Advantage
• Safe • Stylish • Super Durable

 **LX Hausys**
Formerly LG Hausys

FLOORING COLLECTION

Homogeneous Sheet, Heterogeneous Sheet
Specialty

Homogeneous

LX Hausys Homogeneous Sheet delivers exceptional performance and durability for a variety of settings. Featuring a high-density surface treatment, it offers strong iodine resistance and excellent scratch resistance. Its anti-bacterial properties help maintain a hygienic space, making it an ideal choice for healthcare facilities, educational institutions, and other high-traffic areas.

STRUCTURE LIVENS

2.0mm X 2,000mm X 20M/Roll



Highly dense web-structured coating

Thickness 2.0mm
(Homogeneous Sheet)



Healthcare



Education



Retail



Public Space



Office



Stairs

FEATURE



Easy Clean UV Surface Treatment

- Highly dense web-structured coating
- ※ Polish or wax coating is not allowed without stripping process
- High-density PUR surface treatment allows strong iodine resistance



M Shield

- High intensity, high density, Special surface treatment
- Double surface coating provides excellent resistance



Superior Durability

- Not easily worn out against heavy traffic
- Wear Resistance Group T (EN 660-2)



Phthalate & Heavy metal free

- Use phthalate free plasticizers only
- No hazardous ingredients used during production



Anti - Bacteria treatment

- bacteria that cannot growable provide the environment
- ISO22196(Staphylococcus aureus, Escherichia coli, Klebsiella pneumoniae, Staphylococcus aureus)




Design Competitives


- 2/3 stage & chip-in-chip marbling technique applied for mind comforting design
- Create modern designs with sophisticated, original chips




SML 7206




SML 7210




SML 7211



SMP 6219



SMP 6212



SMP 6202




ORIGIN CONDUCTIVE

Suitable and reliable conductivity for special areas, such as servers, computer rooms, operation rooms and many others.

STRUCTURE

STRUCTURE ORIGIN CONDUCTIVE



Operating room



Precision manufacturing plant



Laboratory

FEATURE



Stable Electric Resistance

• $10E^4 \leq R \leq 10E^6 \Omega$



Unique Marble Design

Available to combine with ORIGIN



Phthalate & Heavy Metal Free

Use phthalate free plasticizer only
No hazardous ingredients used during production



SOC3203



SOC3216

LX ESD-control Tile

STATIC PREVENTION & CONDUCTIVE FLOORING



SPECIFICATIONS

Material The most effective control of electrostatic discharge ESD sensitive environments.

Size (T) 2 mm x (W) 600 mm x (L) 600 mm

CHARACTERISTICS

- Available in either dissipative or conductive range to safely remove static charge in any work environment
- Superior static control terminates static generation protecting sensitive equipment.
- Excellent flexibility reducing breaking and cracking at corners
- Superior dimensional stability, in-square quality, and straight edges and corners resulting in fewer gaps
- Excellent surface gloss to give long term clean appearance.


APPLICATIONS

Clean rooms / Access flooring / Healthcare / Electronics manufacturing assembly / test areas / Computer and electronic equipment / Telecommunications environments, etc.


STRUCTURE

A homogeneous solid vinyl tile with conductive elements distributed throughout its entire thickness.


C 6061



C 6101



C 6111



Heterogeneous

LX Familia

FLOORING FOR THE BEST DECORATED HOMES




SPECIFICATIONS

Material Light duty print type sheet vinyl flooring with UV coating and glass fiber reinforced backing.


Size (T) 1 mm x (W) 2 m x (L) 35m

APPLICATIONS


Domestic areas such as Bedroom, Living room. Children's room, Light commercial areas like Shops, Showrooms, Schools.



FAM 182A



FAM 182B



LX Palace

FLOORING FOR THE BEST DECORATED HOMES




SPECIFICATIONS

Material Light duty print type sheet vinyl flooring with UV coating and glass fiber reinforced backing.


Size (T) 1.5 mm x (W) 2 m x (L) 25 m

APPLICATIONS


Domestic areas such as Bedroom, Living room. Children's room, Light commercial areas like Shops, Showrooms, Schools.



PAL 0592



PAL 7771



LX Bright

CONTEMPORARY DESIGN WITH ANTIBACTERIAL PROPERTY




SPECIFICATIONS

Material Print type vinyl sheet flooring with a glass fibers reinforcement.


Size (T) 1.6 mm x (W) 2 m x (L) 25 m

APPLICATIONS


Hospital, laboratories, schools, shops, restaurants, residences.



BR 92203



BR 92205



LX Supreme

HIGHLY COST EFFECTIVE ANTIBACTERIAL FLOORING SOLUTION FOR HEALTHCARE FACILITIES




SPECIFICATIONS

Material Durable print type vinyl sheet flooring with glass fiber reinforcement


Size (T) 2 mm x (W) 2.0 m x (L) 20m

APPLICATIONS


Hospitals, Laboratories, Schools, Offices, Shops, Restaurants and Residences.



SPR 1307-01



SPR 1302-01



LX Mini

HIGHLY COST EFFECTIVE ANTIBACTERIAL FLOORING SOLUTION FOR HEALTHCARE FACILITIES



SPECIFICATIONS


Material Durable print type vinyl sheet flooring with glass fiber reinforcement

Size (T) 2 mm x (W) 2.0 m x (L) 20m

APPLICATIONS

Hospitals, Laboratories, Schools, Offices, Shops, Restaurants and Residences.

STRUCTURE



MIN 0002



MIN 0007



LX ABC



SPECIFICATIONS


Material 0.5t wear layer's product for commercially very heavy and industrial heavy

Size (T) 2 mm x (W) 2 m x (L) 20 m


APPLICATIONS

Commercial Very Heavy,
Hospital, Lab, Office, Commercial
and retail premises, School and
colleges.

STRUCTURE



AB 34602



AB 34612



LX Durable



SPECIFICATIONS


Material 0.7t wear layer's product for commercially very heavy and industrial heavy

Size (T) 2 mm x (W) 2 m x (L) 20 m

APPLICATIONS

Commercial Very Heavy,
Hospital, Lab, Office, Commercial
and retail premises, School and
colleges.

STRUCTURE



DU 99902



DU 99906



LX Decotile



SPECIFICATIONS

Material Various patterns with hundreds of color ways in traditional and contemporary visuals delivers flexible design options for almost any interior design motif.


Size (T) 2 mm x (W) 180 mm x (L) 1200 mm

(T) 2 mm x (W) 177.8mm x (L) 1219.2 mm (7401 Spiced Brown)

APPLICATIONS

Shop - Checkout / Cash Wrap / Food Service / Department Store
Office - Reception / Meeting Room
House - Living Room / Kitchen


STRUCTURE




DTL 1203




DTL 1205



DTL 7401



DTL 2736



LX Leisure



Widely used flooring from commercial and multi-purpose spaces to sports facilities

SPECIFICATIONS

Material Heavy Duty functional floor in roll with highly resilient foam backing.

Size (T) 4 mm x (W) 1.8 m x (L) 16 m

CHARACTERISTICS

LX Leisure is a multi-utility range of commercial/semi-industrial flooring in rolls. Its cushion backing prevents injuries to athletes and equipments due to a high degree of shock and impact absorption,


Glass-fiber re-inforced 0.5 mm composite top layer offers excellent dimensional stability even in hot and humid environments.

Available in highly natural wood patterns & solid colours.

APPLICATIONS

Gymnasium, Aerobic Center, Play Court, Auditorium Kindergarten, Cafeteria, Dance Floor etc.

STRUCTURE



LES 056



LES 6303



LES 6606



LX Eq Floor



Optimal solution for educational spaces with technically designed high sound absorption and optimum indentation resistance

SPECIFICATIONS

Material Heavy Duty functional floor in roll with highly resilient foam backing.

Size (T) 6 mm x (W) 1.83 m x (L) 13m

CHARACTERISTICS

LX EQ Floor is a multi-utility range of commercial/semi-industrial flooring in rolls. Its 4.0 mm cushion backing prevents injuries to athletes and equipments due to a high degree of shock and impact absorption,


Glass-fiber re-inforced 2.0 mm composite top layer offers excellent dimensional stability even in hot and humid environments.

Available in highly natural wood patterns.

APPLICATIONS

Gymnasium, Aerobic Center, Play Court, Auditorium Kindergarten, Cafeteria, Dance Floor etc.

STRUCTURE



EQF 8314




EQF 8577



LX Rexcourt



STRUCTURE



SPECIFICATIONS

Material Designed for sports flooring where shock absorption, elasticity, and other demanding requirements are needed.

Size (T) 6.5 mm x (W) 1.80 m x (L) 15 m

CHARACTERISTICS

Designed for sports flooring where shock absorption, elasticity, and other demanding requirements are needed.

Polyurethane coating makes maintenance easy and economical.

100% vinyl wear layer offers extra durability.

Dimensional stability delivers stable playing surface for athletic protection.

Closed cell structure offers superior noise level reduction.

Available in wood and solid visuals to meet most design requirements for sports flooring.

APPLICATIONS

Multi purpose, Basket ball, Party room, Volley ball, hand ball, Table tennis, badminton, Soccer (Indoor), Dance floors, Food service areas. etc.

SPF 6400




SPF 6606



SPF 6901



SPF 6303



LX Hausys Sheet Flooring: Where style meets durability

Why Choose LX Hausys Sheet Flooring?

- **Unparalleled Style:** Explore our extensive collection of designs, inspired by natural materials like wood, stone, and tile, as well as modern and abstract patterns. Find the perfect look to match your unique style and create the ambiance you desire.
- **Exceptional Durability:** Built to withstand the rigors of daily life, LX Hausys sheet flooring is resistant to scratches, stains, dents, and wear. Our advanced manufacturing technology ensures long-lasting performance and beauty, even in high-traffic areas.
- **Easy Maintenance:** Spend less time cleaning and more time enjoying your space. LX Hausys sheet flooring is incredibly easy to clean and maintain. Simply sweep, mop, or vacuum for a pristine look.
- **Superior Comfort:** Experience the underfoot comfort of LX Hausys sheet flooring. Our cushioned backing provides a softer feel and reduces noise, creating a more comfortable and peaceful environment.
- **Value for Your Investment:** LX Hausys sheet flooring offers exceptional quality and performance at a competitive price. It's a smart investment that will enhance the beauty and value of your property for years to come.
- **Environmentally Friendly:** LX Hausys is committed to sustainable practices. Our sheet flooring is manufactured with environmentally responsible materials and processes.



Our Products

Heterogeneous	Heterogeneous	Homogeneous
☆ Familia	☆ ABC	☆ Livens
☆ Palace	☆ Durable	☆ Origin Conductive
☆ Bright	☆ Leisure	☆ Esd-Control Tile
☆ Mini	☆ Eq Floor	
☆ Supreme	☆ Rexcourt	LVT
		☆ Decotile

Products For Every Market

☆ Healthcare	☆ Office	☆ Gymnasium
☆ Retail	☆ Restaurant	☆ Badminton
☆ Public Space	☆ Transportation	☆ Table Tennis
☆ School	☆ Kindergarten	☆ Basketball Court

Certification



CERTIFIED BY
SCS Global Services

Phthalate Free
Heavy Metals Free



✉ delightinteriors@gmail.com

✉ delightinteriorsmumbai@gmail.com

🌐 www.delightinteriors.com

